

Specification of equipment of Alaska 45 Sedan hull no. CNDHS45049E010 with engines 2 x Cummins QSB 5,9 440 HP electronic-common rail



CHARACTERISTICS:	
Length overall	15,40 m
Hull length	13,70 m
Beam	4,25 m
Draught	0,96 m
Displacement	17,60 t
Fuel tank capacity	2.000 1
Fresh water tank capacity	700 1
Black water tank	2301
Average cabin headroom	2,00 m
Autonomy	850 miles
Top speed	22/24 nots
Cruising speed	16/18 nots
Hull type	semi-skimmer,deep-V
Berths	4 + 2 in 2 cabins + saloon
Passengers on board (Max)	14
2 bathrooms with showers in separate cubicles	
Hull color	beige
Material	fiberglass
R.I.N.A. CE Certificates	

TECHICAL SPECIFICATION AND STANDARD EQUIPMENT:

Stainless-Steel fuel tank Special sound and thermal insulation for engines Engine cabinet door All the equipment that generates noise and vibrations has silencers Engines are installed on elastic supports Engine and generator exhaust valve silencer Engine romo floor made of ribbed aluminium Perforated metal pannel on the walls of the engine cabinet Metal safety valve for fuel supply interruption Fuel filters "Racor" 4 bilge pumps + additional grey water pump Sea water pumps for deck and chain washing Transmission of line shafts 2 propellers with four wings in NI-AL-bronze Propeller axis 2,5" made of inox steel Underwater exhauste valve Bow thruster "Side Power SE 95" KgF Preinstalation for stern thruster "Benett" flaps Manual emergency water drain pump system Galvanized anode grounding system Electro-generator "Onan" 7,0 KW with underwater exhaust Battery charger with 80 A Electronic engine controls Separate groups of batteries in fibreglass cases Controls and instruments on one console for 220V and 12V power supply Black-water tank indicator Fuel tank indicator Fresh water tank indicator Analog and digital instruments for engine control Rudder angle indicator 38 liter bolier Navigation lights, Observation light; Horn Marine clock; Compass; Barometar Shore power plug with a 20 meter cord Anchor windlass "Maxwell 2200 W" with 2 control stations Towing winch "Maxwell 1000 W" Inox anchor of corresponding weight with a 75 meter chain, 10mm diameter Reserve rudder Rudder made in teak Electro-hydraulic "Opacmare" gangway 2,73 m Extending swim ladder made in stainless steel with steps made in teak Swimm platform made of fiberglass and teak External stern shower Halogen lights "Suardi" External and internal led lights "Suardi" Electrical switches "Vimar" Deck and external finish in teack Stern mirror in teack Preinstalation for underwater lights Boat name carved in solid teack wood Inox steel handrail with the bulwark top in teack Inox steel bollards and rope guides (with possibility of extra roaping) made of inox Inox steel window frames with tempered and colored glass 'Speich" window wipers - clean water usage Stainless steel "Air Craft" side doors x2 Saloon doors made of teak Saloon table with inox legs and teak bord

Internal pannels made of teack

Inside floor made of teack veneer with traces of maple

Teak Persian blinds in the saloon and cabins

Stainless steel mosquito nets

'Ocean Air" in master cabin

Bath and kitchen working bord made of granit

Inox steel kitchen sink

130 l refrigerator + additional refrigerator 100 l in the seating bench

Cooker with ceramic glass cooking surface "AEG"

Electrical/microwave oven "Samsung"

Stereo unit with a CD player, 2+4 speakers

Preinstalation for power socket for TV in the master cabin

Toilets "Jabsco Luxury silent" x 2

The boat is equipped with a automatic and manual fire extinguish devices - CE norms

Seating upholstery according to the owners demands

Front window beige tarpaulin and saloon doors beige tarpaulin

NAVIGATION EQUIPMENT:

"Raymarine ST 60" unit

Display Radar / GPS "Raymarine C120W" Radio VHF + DCS "Raymarine RAY 240E" speaker included

Automatic pilot "Raymarine ST 6002"

GPS antenna "Raymarine Raystar 120"

Radar antenna "Raymarine 4 KW"

VHF antenna "Raymarine"

NAUTICAL AND SAFETY EQUIPMENT:

Fenders 6+2 Bounding ropes+additional ropes, spare and storm anchor Additional safety equipment includes 14 lifebelts, first aid, flare rocket Life raft for 14 person Air-conditioning units "Air Marine" (heating and cooling) 36.000 BTU; control for each cabin Inverter 2,0 kW Deck wash system Jabsco Additional sound isolation Set of reserve spare parts for two years (cink anod + buccula)

ADDITIONAL OPTIONS:

Additional air heating system "Eberspraecher" 5,5 kW Sun catcher pillows Electrical lifting system for saloon table Colour LCD TV with DVD for the saloon + TV lift mechanism Stern thruster Deck table and chairs made of teack